

Openings Amarr[®] Residential Garage Doors



www.amarr.com



- AMARK DI DESI
- 34 HORIZON
- 36 ALUMINUM OPTIONS
- 38 VISTA
- 40 WOOD & ALUMINUM SPECIFICATIONS



Openings. Open up to a new way of thinking. The garage. It's more than a way in, or a way out. Inside it's a parking lot, a gym, a workshop. Outside, it's an extension of your home, a reflection of your personality, of your individuality. Whether you prefer steel, wood, or aluminum, rethink what a garage door is, or can be. Amarr Openings. Open up to the possibilities.



AMARR **ADVANTAGE**

Style and Variety



We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of insulations and door thicknesses to provide the level of energy efficiency you desire.



Safety



Our SafeGuard System features patented center and end hinges, exclusive safety bottom brackets and uniquely-designed pinch protection sections to enhance overall safety

for homeowners. These garage doors are designed to reduce the risk of serious hand and finger injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

Made in USA



All Amarr residential and commercial steel and aluminum garage doors are manufactured in the USA, affirming our commitment to high quality and durability.



CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home. The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.







CLASSICA[®] FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The contemporary design combined with polyurethane insulated steel door provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.

Full View design with Frost glass in Charcoal Gray









C L A S S I C A[®]

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



DESIGNS











TUSCANY (T)



SANTIAGO (S)

Cortona Long Panel Arched Top not available.

VALENCIA (V)



Unique three-section tall carriage house

See page 30 for

Triple-Layer: Steel + Insulation + Steel

CL2000

Double-Layer:

CL3000

Steel + Insulation

style doors available in seven stamped-steel panel designs.

complete specifications.

Tuscany with Closed Arch (T1)






Decorative Windows & Hardware


Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.

See pp. 10-11 for glass, window, and decorative hardware options.



AMARR CLASSICA® & HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2) Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D) LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)

TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1), CORTONA (C1)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • CORTONA (C2)

MADEIRA (5)*



RHINE (7)*



THAMES (10)*




AMERICANA (57)+



TRELLIS (76)+







* Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.
[†] Tempered obscure glass with baked-on ceramic design Design visibility varies due to lighting.



CLAVOS

5" tall

10" tall ‡Traditional designs only NOTTINGHAM

[†]Carriage house designs only.



CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

BRADBERRY (BB)

DESIGNS

AVAILABLE WITH WINDOWS

LAURELBAY (LB)						







SEABROOK (SB) ROSEMONT (RM

NOT AVAILAB













LE V	VITH WINDO	ows
	CHARLTON	(CT)
3)	DARBY (DB))
=1		

PINETOP (PT)









 H I	_
 н	-
 H	-

2	
	FAIRFIELD (FF)
	NEWBERRY (NB)



MIDDLETON (MT)







Four-Layer:

Overlay + Steel +

Insulation + Steel

Designs

A wide variety of unique carriage house designs available in four color options.

See page 30 for complete specifications.

Decorative Windows

Choose from a variety of optional decorative windows & hardware to match your home's design.

See p. 6 for window options. See p.11 for decorative hardware options.

WARRANTY

- · Lifetime limited warranty on finish
- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination



AMARR CARRIAGE COURT OPTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE* or INSULATED* GLASS CLOSED SQUARE (104) CLOSED ARCH (105)



CLEAR ARCH (114)







3 LITE SQUARE (106)

CLEAR SQUARE (115)



6 LITE SQUARE (112)

8 LITE SQUARE (113)

6 LITE ARCH (108)

4 LITE ARCH (111)

8 LITE ARCH (109)



Available for ARCADIA[†], ASHLEY, BROOKLAND[†], DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA[†], MIDDLETON, NEWBERRY, RAVENWOOD[†] AND TANGLEWOOD

CLOSED SQUARE (104)





TRUE WHITE / WHITE (W1) ALMOND / WHITE (A1)

Actual paint colors may vary from samples shown.

SANDTONE / WHITE (S1) WICKER TAN / WHITE (K1)

CURRENTLY UNAVAILABLE

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware







WINDOWS



Large rectangular or arched window designs in 24" top sections

5/8" thick composite overlay trim

of reclaimed wood fiber

and thermoplastic polymer Coped edge design

- 5/8" thick decorative window grilles with coped edges
- Available in Clear, Clear Insulated* or Obscure* glass

Only available in widths shown: not available in odd widths

*Price upcharge applies.

DOOR WIDTHS



6' WIDE[†]


8', 9' & 10' WIDE




15'6", 15'8", 16' & 18' WIDE



⁺Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).



*Rosemont not available in 8'3", 8'9", 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.



(15)




DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40⁺ these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



DESIGNS



*Amarr DC3138 only available in Bead Board design.





Steel + Insulation + Steel

DC3200

2" Triple-Layer:

Designs

The Amarr Designer's Choice model is available Steel + Insulation + Steel in four carriage house designs and eight colors.

> See page 30 for complete specifications.

*DC3138 only available in 8', 9' or 16' wide doors. *True White Bead Board only. 13.35 R-value for all other panels and colors. ‡Available for DC3200 only.

19.40¹

Decorative Windows & Hardware Choose from DecraTrim inserts

or DecraGlass‡ windows to best coordinate with your home.

See page 11 for decorative hardware options, pp. 26-27 for glass and window options.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White. COLORS







DC3138 only available in True White and Color Zone.

WICKER TAN MAHOGANY [WK]






HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price. The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges



DESIGNS





Bead Board, Long Bead Board, Recessed, or Raised panel carriage house designs.

See page 30 for complete specifications.

2" Triple-Layer: Steel + Insulation + Steel

Steel + Insulation

1-3/8" Triple-Layer: Steel + Insulation + Steel

HI 3138

HI3000

inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 11 for decorative hardware options, pp. 26-27 for glass and window options.





HERITAGE[®]

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted. The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



FLUSH PANEL (FP)*

RIBBED PANEL (RP)*

*Available in HR3000 only.

DESIGNS

TRADITIONAL

SHORT PANEL (SP) LONG PANEL (LP)

CARRIAGE HOUSE

CARRIAGE	0031		
BEAD BOARD (BB)*	LONG BEAD BOARD (LPBB)	RECESSED (RE)	RAISED (RS)
			0000 0000 0000 0000 0000 0000 0000 0000

MOSAIC WINDOWS



With Mosaic Window Options for traditional designs, you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



See page 30 for

DARK

BROWN (DN)

complete specifications.

BI ACK

(BL)

HR3000

COLORS

Steel + Insulation + Steel

ΔΙ ΜΟΝΠ

(AL)

MAHOGANY

(MY)

CURRENTLY UNAVAILABLE

SANDTONE

(ST)

Triple-Laver:

TRUE WHITE

GOLDEN OAK

(OK)

(TW)

See pp. 26-27 for glass and window options.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



Woodgrain finishes are dual directional for all panel designs



OLYMPUS


When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40⁺, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



DESIGNS

SHORT PANEL (SP)*



FLUSH PANEL (FP)*



in True White and Color Zone only.

*Amarr OL3138 only available in Flush and Short Panel designs

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations. Available in OL3200 only.



VALU **OL3138**[°] 14.46

1-3/8" Triple-Laver: Steel + Insulation + Steel



WICKER TAN

(WK)

MAHOGANY

[MY]

The Amarr Olympus model is available in Short Panel and Long Panel designs and eight color options.

See page 30 for complete specifications.

*OL3138 only available in 8', 9' or 16' wide doors. *True White Short and Flush panels only; 13.35 R-value for all other panels and colors. ‡Available for OL3200 only.

Designs



STEEL

23

Decorative Windows

Choose from DecraTrim

windows to best coordinate

glass and window options.

inserts or DecraGlass‡

with your home.

See pp. 26-27 for



LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with more than 20 decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.

Flush Panel design with Frost Mosaic window options in Charcoal Gray



DESIGNS

SHORT PANEL	(SP)
	11



LONG PANEL (LP)



FLUSH PANEL (FP) RIBBED PANEL (RP)



Ribbed Panel available in LI3138/LI3000 only.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



1-3/8" Triple-Layer: Steel + Insulation + Steel

LI 3000 2" Triple-Layer: Steel + Insulation + Steel

ALMOND

(AL)*

WICKER TAN TERRATONE CHARCOAL

(TT)

SANDTONE

(ST)*

DARK BROWN (DN)*

HUNTER

GRAY (EF) GREEN (HG)⁺

CURRENTLY UNAVAILABLE

COLORS

TRUE WHITE

(TW)*

(WK)

See page 30 for complete specifications.

BLACK

(BL)

GRAY

(GY)†

glass and window options.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White. Amarr[®] Color Zone

GOLDEN OAK

(0K)



MAHOGANY

(MY)

Available in LI1000/ LI2000 Flush Panel with Stucco texture. ⁺ LI3138 only, when available.

STEEL OPTIONS

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.

		to view specific designs in various architectural style
GLASS OPTIONS	Insulated glass available in Clear, Frost and Dark T	DECRAGLASS [™] WINDOWS Tempered obscure glass with baked-on ceramic designs
CLEAR (C) OBSCURE (O)*	FROST (WF)* DARK TINT (WD)*	SHORT PANEL Available for Amarr Heritage, Lincoln, and Olympus collections. UICTORIAN (54) VICTORIAN (54) VICTORIAN (54) VICTORIAN (54) VICTORIAN (54) VICTORIAN (54)
	* Price upcharge ap	
DECRATRIM WINDOW	INSERTS Available with glass opti	all RIVIERA (55)* RIVIERA (55)*
SHORT PANEL Available for Amarr Heritage, Lincoln, and Olympus collections.	LONG PANEL Available for Amarr Designer's Choice, Heritage, Hillcrest, Lin and Olympus collections.	on,
CLEAR (C)	CLEAR (C)	CHALET (56) CHALET (56)
STOCKTON (20)	STOCKTON (20)	AMERICANA (57) AMERICANA (57)
PRAIRIE (21)	PRAIRIE (21)	HEARTLAND (70) HEARTLAND (70)
CATHEDRAL (22)	CATHEDRAL (22)	MISSION (71) MISSION (71)
CASCADE (23)		
		Real Real Real Proof. Real-real Real-real
		JARDIN (75) JARDIN (75)
WATERFORD [25]	WATERFORD [25]	
		TRELLIS (76) TRELLIS (76)
WAGON WHEEL (26)	WAGON WHEEL (26)	මේ ම
		* Clear glass with printed frost pattern. † Obscure glass with v-groove. DecraTrim and DecraGlass design visibility varies due to lightim
SUNRAY (27)	SUNRAY (27)	MOSAIC WINDOW OPTIONS
FULL SUNRAY (28) Short Panel	Available for 16', 17', and 18'	or Dark Tint glass can be placed in any standard position**.
		Visit amarr.com/mosaic for design inspirations.
FULL SUNRAY (28) Long Panel	Available for 15', 15' 6", 15' 8", 16', 17', and 18'	
		•• Window design options may vary based on door widt
FIVE PIECE SUNRAY for 10' width doors (29) Available onl	y in True White.	STEEL COLORS See specifications on pages 30–31 for color availability by model Actual paint colors may vary from samples shown
	THANES (20)	
	THAMES (30)	TRUE ALMOND WICKER SANDTONE TERRATONE DARK HUNTER GRAY CHARCOAL BLACK WHITE (TW) (AL) TAN (WK) (ST) (TT) BROWN (DN) GREEN (HG) (GY) GRAY(EF) (BL) Amart Color Zone Over 800 Shervin-Williams
		Amar: Color Zone paint colors – approved list is at
MOONLITE (24)		GOLDEN OAK WALNUT MAHOGANY IOKI (NT) (MY) Check your local Sherwin-Williams store for paint chips.
		Amarr steel doors are pre-painted; for custom colors Price upcharge applies to all colors except True White. Wist amar.com for instructions on painting. Non-factory painting of garage door vidis the paint finish warranty.

STEEL

Window design options may vary based on door width. ions on pages 30–31 for color availability by model. Actual paint colors may vary from samples shown. CHARCOAL GRAY (EF) HUNTER BLACK (BL) GRAY I (DN) GREEN (HG) (GY) Amarr Color Zone Over 800 Sherwin-Williams paint colors – approved list is at amarr.com/amarr_color_zone. Check your local Sherwin-Williams store for paint chips. SHERWIN WILLIAMS. upcharge applies to all s except True White. Non-factory painting of garage door voids the paint finish warranty.



OPTIONS

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER:

Steel

Amarr Classica, Heritage, Hillcrest & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance





DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Heritage, Hillcrest & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation





Steel Polyurethane Exterior Insulation R-VALUE 14.46 Designers DC338 OL338 OL338 OL338



R-VALUE 13.35 CLASSICA DESIGNEFS CHOICE DCAUCE DCAUCE DCAUCE

Polyurethane Insulation

Steel Exterior

> Steel Bottom Interior Weather Seal

* True White Bead Board only. ** All panels and colors except True White Bead Board. † True White Short and Flush panels only. ‡ All panels and colors except True White Short and Flush panels.



FOUR-LAYER:

Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation





STEEL SPECIFICATIONS

PANEL DESIGNS (Safe Guard) Short Long Flush Ribbed Carriage House CONSTRUCTION LAYERS Steel Steel + Insulation Steel + Insulation + Steel DOOR THICKNESS 2" (5.1cm INSULATION Polyuretha R-VALUE" 13.59" STEEL THICKNESS Gauge (ga) 2.5/77 gg Gauge (mm) 0.53/0.42m WOODGRAIN EXTERIOR TEXTURE • GALVANIZED END STILES • THEEMAL SEAL BOTTOW WEATHER SEAL BOTTOW WEATHER SEAL	hane Polyurethan ¹⁹ 13.35 ⁹ ga 25/27 ga	7 Designs 1 • 2" (5.1cm) 24 ga	7 Designs 2 • Polystyrene ¹ 6.64	7 Designs 3 2" [5.1cm]	18 Designs 4	1 Design 3	4 Designs 3	4 Designs 1 •	4 Designs 2	4 Designs 3	4 Designs	✓ • 4 Designs	✓ • 4 Designs	✓ • • 4 Designs	TW	• • TW	•	•	•	•
Long Flush • • • • • • • • • • • • • • • • • • •	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				•	•	•		•	•	•	•	•
Long Flush	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				• 4 Designs	• 4 Designs	•		• TW	•	•	•	•
Flush • Ribbed Carriage House Carriage House 3 Steel 3 Steel 4 Steel + Insulation 4 Overlay + Steel + Insulation + Steel 4 DOOR THICKNESS 2" (5.1cm DOOR THICKNESS 2" (5.1cm Gauge (ga) 25/27 ga Gauge (ga) 25/27 ga Gauge (mm) 0.53/0.42m WOODGRAIN EXTERIOR TEXTURE 4 PAINTED END STILES 6 THERMAL SEAL 5	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				4 Designs	4 Designs	•	TW	TW	•		•	•
Ribbed Carriage House CONSTRUCTION LAYERS Steel Steel + insulation Steel + insulation + Steel Overlay + Steel + insulation + Steel DOOR THICKNESS Z' [5.1cm INSULATION Polymethak R-VALUE ^I Gauge (ga) Z' [5.1cm Gauge (ga) Z' [5.1cm Gauge (ma) OSJ0.42m WOODGRAIN EXTERIOR TEXTURE PAINTED END STILES PAINTED END STILES DATOM WEATHER SEAL	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				4 Designs	4 Designs							•
Carriage House CONSTRUCTION LAYERS 3 Sited 3 Sited + insulation 4 Overlay + Sited + insulation + Sited 4 DOOR THICKNESS 2" (5.1cm INSULATION Polyuretha R-VALUE* 13.35" STEEL THICKNESS 25/27 gg Gauge (ga) 25/27 gg Gauge (mm) 0.530.42m WOODGRAIN EXTERIOR TEXTURE 4 PAINTED END STILES 6 THERMAL SEAL 5	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				4 Designs	4 Designs	(Decine						
CONSTRUCTION LAYERS 3 Sited	3 3 2" (5.1cm) 4" 13.35" 3 25/27 ga 25/27 ga 0.53/0.42mi	1 • • • • • • • • • • • • • • • • • • •	2 • 2" (5.1cm) Polystyrene ¹	3	4	3	3	1				4 beorgno						- i		1
Steel Steel + Insulation Steel + Insulation + Steel Overlay + Steel + Insulation + Steel Overlay + Steel + Insulation + Steel ODOR THICKNESS 2' [5.1cm NSULATION Polyuretha R-VALUE' 13.35' STEEL THICKNESS Gauge [ga] 25/27 ga Gauge [mm] 0.530.42m GALVANIZED END STILES GALVANIZED END STILES PAINTED END STILES ITHERMAL SEAL BDTTOM WEATHER SEAL	2" (5.1cm) 2" (5.1cm) hane Polyurethan " 13.35" ga 25/27 ga 25/27 ga	• 2" (5.1cm) e	2" (5.1cm) Polystyrene ¹	•					-		4	1	2	3	3	3	1	2	3	3
Steel + Insulation Steel + Insulation + Steel Overlay + Steel + Insulation + Steel DOOR THICKNESS R-VALUE* STEEL THICKNESS Gauge (ga) 25/27 ga Gauge (mm) 0.530.42m WOODDGRAIN EXTERIOR TEXTURE • PAINTED END STILES • THERMAL SEAL •	2" (5.1cm) hane Polyurethan i ³ 13.35 ³ ga 25/27 ga 0.53/0.42mi	2** (5.1cm) e	2" (5.1cm) Polystyrene ¹		•	•		-				•				, ,		-		Ŭ
Steel + Insulation + Steel • Doverlay + Steel + Insulation + Steel DOOR THICKNESS 2" (5.1cm INSULATION Polyuretha R-VALUE" 13.35" STEEL THICKNESS 25/27 gg Gauge (ga) 25/27 gg Gauge (mm) 0.5304.42m WOODDGRAIN EXTERIOR TEXTURE • PAINTED END STILES • THERMAL SEAL •	2" (5.1cm) hane Polyurethan i ³ 13.35 ³ ga 25/27 ga 0.53/0.42mi	8	2" (5.1cm) Polystyrene ¹			•						-								
Overlay + Steel + Insulation + Steel DOOR THICKNESS 2" (5.1cm INSULATION Polyuretha R-VALUE" 13.35" STEEL THICKNESS 25/27 gg Gauge (ga) 25/27 gg Gauge (mm) 0.53/0.42m WOODOGRAIN EXTENIOR TEXTURE - PAINTED END STILES - THERMAL SEAL -	2" (5.1cm) hane Polyurethan i ³ 13.35 ³ ga 25/27 ga 0.53/0.42mi	8	Polystyrene ¹		•	-	•		-										•	
DOOR THICKNESS 2" (5.1cm INSULATION Polyuretha R-VALUE" 13.35" STEEL THICKNESS 3.36" Gauge (ga) 25(27 gg Gauge (mm) 0.53/0.42m WOODGRAIN EXTENIOR TEXTURE • GALVANIZED END STILES • PAINTED END STILES • THERMAL SEAL •	Polyurethan ¹³ 13.35 ⁹ ga 25/27 ga 2mm 0.53/0.42m	8	Polystyrene ¹	2" (5.1cm)			-			-	-			-						-
INSULATION Polyuretha R-VALUE* 13.35° STEEL THICKNESS 5 Gauge (ga) 25/27 gg Gauge (mm) 0.53/0.42m WODDGRAIN EXTERIOR TEXTURE • GALVANIZED END STILES • PAINTED END STILES • THERMAL SEAL •	Polyurethan ¹³ 13.35 ⁹ ga 25/27 ga 2mm 0.53/0.42m	8	Polystyrene ¹	2 (3.1011)	2" (E 1em)	1.2/0~(2.Eem)	2" (5.1em)	2" (5.1em)	2" (5.1em)	1.2/07(2.5am)	2" (E 1am)	2" (E 1am)	2" (E 1am)	2" (E 1am)	1.2/0"(2.5em)	2" (5.1em)	2" (5.1em)	2" (5.1em)	1 2/0**(2 Eam)	2" (E 1em)
R-VALUE* 13.35* STEEL THICKNESS 5 Gauge (mm) 25/27 gs Gauge (mm) 0.53/0.42n WOODGRAIN EXTERIOR TEXTURE • GALVANIZED END STILES • PAINTED END STILES • THERMAL SEAL •	³ 13.35 ⁹ ga 25/27 ga 2mm 0.53/0.42m			Delevel	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)
STEEL THICKNESS Gauge (ga) 25/27 ga Gauge (mm) 0.53/0.42m WOODGRAIN EXTENIOR TEXTURE • GALVANIZED END STILES PAINTED END STILES • THERMAL SEAL BOTTOM WEATHER SEAL	ga 25/27 ga 2mm 0.53/0.42mi	24 na		Polyurethane	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹
Gauge (ga) 25/27 gr Gauge (mm) 0.53/14.2m WOODGRAIN EXTERIOR TEXTURE • GALVANIZED END STILES • PAINTED END STILES • THERMAL SEAL • BOTTOM WEATHER SEAL •	2mm 0.53/0.42mi	24 na	0.04	13.35	6.48	14.46	19.40*/13.35**		6.64	6.48	9.05		6.64	9.05	14.46	19.40†/13.35‡		6.64	6.48	9.05
Gauge (mm) 0.53/0.42m WOODGRAIN EXTERIOR TEXTURE - GALVANIZED END STILES - PAINTED END STILES - THERMAL SEAL - BOTTOM WEATHER SEAL -	2mm 0.53/0.42mi	74 na		05/67	00/07	00/27	0.0167	05	05	00/07	0.010-			0.107	40 K-	00/67	05		00/27	00.117
WOODGRAIN EXTERIOR TEXTURE GALVANIZED END STILES PAINTED END STILES THERMAL SEAL BOTTOM WEATHER SEAL			24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga
GALVANIZED END STILES PAINTED END STILES THERMAL SEAL BOTTOM WEATHER SEAL	•		0.61mm	0.53/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm
PAINTED END STILES • THERMAL SEAL BOTTOM WEATHER SEAL		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•1	•	•	•
THERMAL SEAL BOTTOM WEATHER SEAL	_	•	•					•	•								•	•		
BOTTOM WEATHER SEAL	•			•	•	•	•			•	•	•	•	•	•	•	L		•	•
		_				•	•*							•	•	•†				
Steel Retainer																				
	•	•	•	•			•**	•	•			•	•			•‡	•	•		
Aluminum Retainer					•					•				•					•	
Extruded Vinyl						•	•*				•				•	•†				•
DECORATIVE WINDOW OPTIONS •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WINDOW GLASS OPTIONS																				
3/32" (0.24cm) Single Strength						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1/8" (0.32cm) Tempered 2X Strength •	•	•	•	•	•															
Insulated (Clear, Frost & Dark Tint) •	•			•	Clear only	•	•			•	•			•	•	•			•	•
Obscure •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Frost •	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dark Tint •	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DECORATIVE HARDWARE OPTIONS		•	•	•	•	•	•	•	•	•	•	•7	•7	•7						
EXTERIOR COLOR OPTIONS																				
True White (TW) •	•	•	•	•	•1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Almond (AL) •	•	•	•	•	•1		•	•	•	•	•	•	•	•		•	•	•	•	•
Wicker Tan (WK) •	•	•	•	•	•3		•	•	•	•	•					•	•	•	•	•
Sandtone (ST) •	•				•3			•	•		•					•	•	•	•	•
Terratone (TT) •	•	•	•	•				•	•	•	•						•	•	•	•
Dark Brown (DN) •		•		•			•	•	•							•	•	•	•	•
Hunter Green (HG)										•									•	
Gray (GY)																				
Charcoal Gray (EF) •	•	•	•	•				•	•	•	•						•	•	•	•
Black (BL)												•					•			
Golden Oak (OK)																				
Walnut (NT)									•		•	•	•	•				•		
											•									
Mahogany (MY) WIND LOAD ⁴ AVAILABLE •		•	•	•			•	•		•	•	•	•	•		•	•		•	•
	•				•				• 25 Verse	• Lifetime	• Lifetime	• Lifetime		• Lifetime				•		• Lifetime
PAINT FINISH WARRANTY ^s Lifetime WORKMANSHIP/HARDWARE WTY ^s Lifetime	ne Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years				Lifetime		Lifetime	Lifetime	15 Years	25 Years	Lifetime	



 Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.
 Calculated door section R-value is in accordance with DASMA TDS-163.

* True White Bead Board only. Based on independent laboratory test results. ** All panels and colors except True White Bead Board.

 True White Short and Flush panel designs only. Based on independent laboratory test results.

 All panels and colors except True White Short and Flush panel designs. ³ With White Overlay.

⁴ It is your responsibility to make sure your garage door meets local building codes.

⁵ For complete warranty details, visit amarr.com or contact your local Amarr dealer. ⁶ Flush Panel design has Stucco texture.

7 Available for Carriage House designs only.

⁸ Solid door without glass; R-Value varies by glass type. NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.

(31)

) STEEL



AMARR BY DESIGN AD4000

Get the neighbors talking. Start with the exquisite Amarr by Design collection. Submit your own unique design and let our craftsmen build it. Or choose from one of our many custom wood carriage house styles and an array of materials, windows, and custom hardware to create a truly unique, one-of-a-kind door. Amarr By Design. Get a gorgeous door, and a great conversation piece.

CONSTRUCTION



WOOD CHOICES

WOOD

- Wood + Insulation + Wood
- Custom, handcrafted carriage house designs
- Multiple wood options •
- · Paint or stain grade wood
- Environmentally safe polystyrene thermal insulation
- Energy efficient

Wood choices shown are natural. Homeowner available upon request. must finish door prior to door installation.



Other types of wood

DESIGNS



H

LOWRY

7010 (i)

4000 (closed arch)



3000 (custom)

7020 (เ)

ROBERTS

Η	E	f	F	E		E	
						Ī	

CURTIS





FASTON


Unlimited design options.

TERRY

\pm



Custom designs available. Simply draw your own unique door, give it to your Amarr dealer, and we'll take it from there.



Designs

Design your own look or pick from one of our many designs. Available with closed top section or with windows. Glass choices include Double Strength or Insulated.

Materials

Design your own door. Choose from the finest milled woods. Paintable or stainable wood exterior. See page 40 for complete specifications.

Decorative Options

Design your own finishing touches with decorative hardware. Popular choices include door knockers, handles, latches, braces, and strap hinges.

Visit www.amarr.com for all hardware options.

AMARR BY DESIGN






AMARR HORIZON HO1000

Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

CONSTRUCTION



ALUMINUM

An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide

DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING

Up to 8'2" WIDE – 1 Panel



16'3"-20'2" WIDE - 3 Panels

FOR INSULATED GLAZING

Up to 10'2" WIDE – 2 Panels

10'3"-16'2" WIDE – 3 Panels

8'3"-16'2" WIDE - 2 Panels



16'3"-20'2" WIDE – 4 Panels

FOR SINGLE PANE GLAZING

Door Width	# Center Stiles	# Windows/Section	Door Width	# Center Stiles	# Windows/Section
Up to 8'2"	0	2	Up to 10' 2"	1	4
8' 3" - 16' 2"	1	4	10' 3" - 16' 2"	2	6
16' 3" – 20' 2"	2	6	16' 3" – 20' 2"	3	8

FOR INSULATED GLAZING

ALUMINUM OPTIONS

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.



GLAZING OPTIONS

		SINGLE	PANE					DUAL	PANE							SINGLE PANI	E
	Anne	aled‡		Temp	ered		Ann	ealed		Tempered	Laminated		Polycarbonate	1		Acrylic	
	1/8"	1/8" Low-E	1/8"	1/8" Low-E	1/4"	1/4" Low-E	1/2"	1/2" Low-E	1/2"	1/2" Low-E	1/4"	Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
CLEAR	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
OBSCURE	•		•		•		•	•	•	•							
GREEN TINT	•		•		•		•	•	•	•							
BRONZE TINT	•		•		•		•	•	•	•				•			
GRAY TINT	•		•		•		•	•	•	•							
GREYLITE	•		•		•		•	•	•	•							
FROST	•		•		•		•	•	•	•				•			
SNOW											•			•			
WHITEOUT											•						
BLACK ICE											•						


37



AMARR VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION




Exterior Handles (2 Included)



An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- · 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- Available in 21"and 24" section heights; and 18" for odd height doors
- · Wind load options available to meet local building codes
- · Attractive, modern exterior handles (2) included

PANEL CONFIGURATION





18'	WIDE	- 1	5 Pa	inels


16' WIDE — 4 Panels

10 11102 011		

DOOR HEIGHT CONFIGURATION

8' (4 tall)







OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM



	11	

Also available in Mill finish

LOUVERED ALUMINUM

6 columns of (12) 3"x 3/4" vents on a 4'x 24" panel Shown in White Powder Coat

WOOD SPECIFICATIONS

	AMARR [®] BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1-3/8" thick)	•
R-VALUE	9.0
BOTTOM WEATHER SEAL	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
OPTIONAL DECORATIVE HARDWARE	•
WIND LOAD ¹ AVAILABLE*	•
FIRE RATED DOORS AVAILABLE ²	•
SECTION WARRANTY ³	1 Year

¹ It is your responsibility to make sure your garage door meets local building codes. ² Optional: Special-designed doors meet guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available.

³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

* Optional: Wood-on-steel section construction is available. Some wind load pressures may require wood-on-steel section construction. Tempered glass windows available. Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six (b) sides of each section within two days of receipt of door(s) and prior to installation. Wist amarcom for finishing recommendations.

HARDWARE SPECIFICATIONS

TRACK: 2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs. 3" track.

HINGES: Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.

ROLLERS: 2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).

STRUTS: 3" galvanized struts

COUNTER BALANCE: 10,000 cycle torsion springs,cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length. FASTENERS: Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).

OPERATION: Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have timitations. Contact your local Amarr dealer for specific details.

ALUMINUM SPECIFICATIONS

	AMARR HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2'-20'2" (in 1" increments)
DOOR HEIGHTS	6'-20'1"
CLEARVIEW STRUT SYSTEM	Only required for doors $\geq 16'$
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
WIND LOAD ¹ AVAILABLE	NA
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	

	AMARR VISTA VI1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	21" and 24"; 18" for odd height doors
CLEARVIEW STRUT SYSTEM	Only required for doors $\geq 16'$
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
Mill	Perforated panel only
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
WIND LOAD ¹ AVAILABLE	•
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

¹ It is your responsibility to make sure your garage door meets local building codes. ² For complete warranty details contact your local Amarr dealer.

41



Amarr Classica Bordeaux design with Americana windows in True White



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products distributed by Amarr Company, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com



Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice. Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents. @ASSA ABLOY Printed in USA Form # 6010122/15M/6VS

Your Local Amarr Dealer: